


MEASURING GUIDE



Ordering the correct size enclosure is critical to a proper installation. The drawings on the following pages are designed to help you provide us with this information. The final page can be used to hand draw any custom applications. Please remember that we can never have too much information regarding your application.

STEP 1

Ensure that the finished wall material is in place before measuring. Confirm that proper blocking is in place for heavy glass enclosures.




STEP 2

Measure each width or centerline (middle of threshold) as demonstrated by arrowed lines. *Remember to allow for the body of the measuring tape.*

STEP 3


Measure maximum height available from the top of the tub deck or threshold to top of the tile or fiberglass walls. Refer to your price list for the most appropriate standard height. Custom heights are also available for most models.




STEP 4

Check all surfaces (including top of buttress if applicable) and walls for level. If any surface is out of level 3/8" or more, a tapered filler is recommended.

- Please note if a filler is requested.
- Heavy glass will be cut out-of-square, so no filler is required.




Recommended Measuring Tools



- 6', 4' & 2' Levels
- Tape Measure
- Pencil
- Masking Tape
- Protractor

STEP 5

Note all face angles. A face angle is the measure of the angle where the glass and wall or buttress meets. The face angle is always measured from the centerline to the wall on the inside of the unit.



STEP 6

Determine showerhead position as if looking at the shower from the outside, and mark drawing with an "X"

Need Assistance? Contact Basco at 800.45.BASCO or support@basco showerdoor.com.



ORDER FORM

TUB/SHOWER ENCLOSURES

READY TO SAVE TIME & SPEED UP ORDERS?
Use our online Mystro shower door configurator.
Visit mystro.mybasco.com today!

Date: _____

Customer: _____

City: _____

Contact: _____

Phone: _____

Email: _____

PO#: _____

Request for: ☐ Quote ☐ Order

Model #: _____

Notes: _____

For Basco Office use only:

Quote #: _____ Quote \$: _____

Route: _____

Finish

- ☐ Chrome (SV/PM)
- ☐ Brushed Nickel (BN)
- ☐ Oil Rubbed Bronze (OR)
- ☐ Almond (AP)
- ☐ Antique Pewter (QP)
- ☐ Bronze (BR)
- ☐ Brushed Bronze (BB)
- ☐ Brushed Gold (BG)
- ☐ Burnished Copper (CU)
- ☐ Matte Black (WI)
- ☐ Satin Nickel (SN)
- ☐ White (WP)
- ☐ Polished Nickel (PN)
(Celesta only)
- ☐ Brushed Stainless Steel (BS) *(Rolaire only)*

Bypass or Fixed Panel Sliding Unit

- ☐ Shower Head Left
- ☐ Shower Head Right

Swing Door Unit

- Door Width _____
- ☐ Door Hinge Left
 - ☐ Door Hinge Right

Frame Type & Glass Thickness

- ☐ Framed - Deluxe
- ☐ 3/16" Semi-Frameless Classic
- ☐ 1/4" Semi-Frameless - Infinity

Glass Options

- ☐ Clear (CL)
- ☐ Obscure (OB)
- ☐ Rain (RN)
- ☐ Autumn (AU)
- ☐ Clear Beveled (CD)
- ☐ Clear Etched (EE)
- ☐ Fluted (FG)
- ☐ Reflections (RF)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP

RODA Frame Type

Horizontal Securing

- ☐ U-Channels
 - ☐ Clips
- ### Vertical Securing
- ☐ U-Channels
 - ☐ Clips

RODA Glass Thickness

- ☐ 3/8"
- ☐ 1/2" Only available in CL, PC, PG, PS, LK & CG options.

RODA Glass Options




- ☐ Clear (CL)
- ☐ Rain (RN)
- ☐ Pure Clear (PC)
- ☐ Pure Clear ShowerGuard (PG)
- ☐ Pure Silk (PS)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP

All measurements are assumed to be CENTERLINE, unless noted otherwise.

For RODA Models, please circle hinge locations and note any changes from default hardware.



Email: orders@basco showerdoor.com, Fax: 1-800-989-1919



ORDER FORM

TUB/SHOWER ENCLOSURES

READY TO SAVE TIME & SPEED UP ORDERS?
Use our online Mystro shower door configurator.
Visit mystro.mybasco.com today!

Date: _____

Customer: _____

City: _____

Contact: _____

Phone: _____

Email: _____

PO#: _____

Request for: ☐ Quote ☐ Order

Model #: _____

Notes: _____

For Basco Office use only:

Quote #: _____ Quote \$: _____

Route: _____

Finish

- ☐ Chrome (SV/PM)
- ☐ Brushed Nickel (BN)
- ☐ Oil Rubbed Bronze (OR)
- ☐ Almond (AP)
- ☐ Antique Pewter (QP)
- ☐ Bronze (BR)
- ☐ Brushed Bronze (BB)
- ☐ Brushed Gold (BG)
- ☐ Burnished Copper (CU)
- ☐ Matte Black (WI)
- ☐ Satin Nickel (SN)
- ☐ White (WP)
- ☐ Polished Nickel (PN)
(Celesta only)
- ☐ Brushed Stainless Steel (BS) *(Rolaire only)*

Bypass or Fixed Panel Sliding Unit

- ☐ Shower Head Left
- ☐ Shower Head Right

Swing Door Unit

- Door Width _____
- ☐ Door Hinge Left
 - ☐ Door Hinge Right

Frame Type & Glass Thickness

- ☐ Framed - Deluxe
- ☐ 3/16" Semi-Frameless Classic
- ☐ 1/4" Semi-Frameless - Infinity

Glass Options

- ☐ Clear (CL)
- ☐ Obscure (OB)
- ☐ Rain (RN)
- ☐ Autumn (AU)
- ☐ Clear Beveled (CD)
- ☐ Clear Etched (EE)
- ☐ Fluted (FG)
- ☐ Reflections (RF)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP

RODA Frame Type

Horizontal Securing

- ☐ U-Channels
 - ☐ Clips
- Vertical Securing
- ☐ U-Channels
 - ☐ Clips

RODA Glass Thickness

- ☐ 3/8"
- ☐ 1/2" Only available in CL, PC, PG, PS, LK & CG options.

RODA Glass Options

- ☐ Clear (CL)
- ☐ Rain (RN)
- ☐ Pure Clear (PC)
- ☐ Pure Clear ShowerGuard (PG)
- ☐ Pure Silk (PS)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP

Floor to Ceiling



- ☐ Yes
- ☐ No

All measurements are assumed to be CENTERLINE, unless noted otherwise.

For RODA Models, please circle hinge locations and note any changes from default hardware.

Floor to Ceiling

- ☐ Yes
- ☐ No



Circle
Unit
Type

Email: orders@basco showerdoor.com, Fax: 1-800-989-1919

OrderForm_Inline1B_04/16/19



ORDER FORM

TUB/SHOWER ENCLOSURES

READY TO SAVE TIME & SPEED UP ORDERS?
Use our online Mystro shower door configurator.
Visit mystro.mybasco.com today!

Date: _____

Customer: _____

City: _____

Contact: _____

Phone: _____

Email: _____

PO#: _____

Request for: ☐ Quote ☐ Order

Model #: _____

Notes: _____

For Basco Office use only:

Quote #: _____ Quote \$: _____

Route: _____

Finish

- ☐ Chrome (SV/PM)
- ☐ Brushed Nickel (BN)
- ☐ Oil Rubbed Bronze (OR)
- ☐ Almond (AP)
- ☐ Antique Pewter (QP)
- ☐ Bronze (BR)
- ☐ Brushed Bronze (BB)
- ☐ Brushed Gold (BG)
- ☐ Burnished Copper (CU)
- ☐ Matte Black (WI)
- ☐ Satin Nickel (SN)
- ☐ White (WP)
- ☐ Polished Nickel (PN)
(Celesta only)
- ☐ Brushed Stainless Steel (BS) *(Rolaire only)*

Bypass or Fixed Panel Sliding Unit

- ☐ Shower Head Left
- ☐ Shower Head Right

Swing Door Unit

- Door Width _____
- ☐ Door Hinge Left
 - ☐ Door Hinge Right

Frame Type & Glass Thickness

- ☐ Framed - Deluxe
- ☐ 3/16" Semi-Frameless Classic
- ☐ 1/4" Semi-Frameless - Infinity

Glass Options

- ☐ Clear (CL)
- ☐ Obscure (OB)
- ☐ Rain (RN)
- ☐ Autumn (AU)
- ☐ Clear Beveled (CD)
- ☐ Clear Etched (EE)
- ☐ Fluted (FG)
- ☐ Reflections (RF)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP

RODA Frame Type

Horizontal Securing

- ☐ U-Channels

Vertical Securing

- ☐ U-Channels
- ☐ Clips

RODA Glass Thickness

- ☐ 3/8"
- ☐ 1/2" Only available in CL, PC, PG, PS, LK & CG options.

RODA Glass Options



- ☐ Clear (CL)
- ☐ Rain (RN)
- ☐ Pure Clear (PC)
- ☐ Pure Clear ShowerGuard (PG)
- ☐ Pure Silk (PS)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP

All measurements are assumed to be CENTERLINE, unless noted otherwise.

For RODA Models, please circle hinge locations and note any changes from default hardware.



Email: orders@basco showerdoor.com, Fax: 1-800-989-1919



ORDER FORM

TUB/SHOWER ENCLOSURES

READY TO SAVE TIME & SPEED UP ORDERS?
Use our online Mystro shower door configurator.
Visit mystro.mybasco.com today!

Date: _____

Customer: _____

City: _____

Contact: _____

Phone: _____

Email: _____

PO#: _____

Request for: ☐ Quote ☐ Order

Model #: _____

Notes: _____

For Basco Office use only:

Quote #: _____ Quote \$: _____

Route: _____

Finish

- ☐ Chrome (SV/PM)
- ☐ Brushed Nickel (BN)
- ☐ Oil Rubbed Bronze (OR)
- ☐ Almond (AP)
- ☐ Antique Pewter (QP)
- ☐ Bronze (BR)
- ☐ Brushed Bronze (BB)
- ☐ Brushed Gold (BG)
- ☐ Burnished Copper (CU)
- ☐ Matte Black (WI)
- ☐ Satin Nickel (SN)
- ☐ White (WP)
- ☐ Polished Nickel (PN)
(Celesta only)
- ☐ Brushed Stainless Steel (BS) *(Rolaire only)*

Bypass or Fixed Panel Sliding Unit

- ☐ Shower Head Left
- ☐ Shower Head Right

Swing Door Unit

- Door Width _____
- ☐ Door Hinge Left
 - ☐ Door Hinge Right

Frame Type & Glass Thickness

- ☐ Framed - Deluxe
- ☐ 3/16" Semi-Frameless Classic
- ☐ 1/4" Semi-Frameless - Infinity

Glass Options

- ☐ Clear (CL)
- ☐ Obscure (OB)
- ☐ Rain (RN)
- ☐ Autumn (AU)
- ☐ Clear Beveled (CD)
- ☐ Clear Etched (EE)
- ☐ Fluted (FG)
- ☐ Reflections (RF)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP

RODA Frame Type

Horizontal Securing

- ☐ U-Channels
 - ☐ Clips
- ### Vertical Securing
- ☐ U-Channels
 - ☐ Clips

RODA Glass Thickness

- ☐ 3/8"
- ☐ 1/2" Only available in CL, PC, PG, PS, LK & CG options.


RODA Glass Options

- ☐ Clear (CL)
- ☐ Rain (RN)
- ☐ Pure Clear (PC)
- ☐ Pure Clear ShowerGuard (PG)
- ☐ Pure Silk (PS)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**


Glass Protection

- ☐ AquaGlideXP

All measurements are assumed to be CENTERLINE, unless noted otherwise.



For RODA Models, please circle hinge locations and note any changes from default hardware.



Email: orders@basco showerdoor.com, Fax: 1-800-989-1919

OrderForm_DPR_04/16/19



ORDER FORM

TUB/SHOWER ENCLOSURES

READY TO SAVE TIME & SPEED UP ORDERS?
Use our online Mystro shower door configurator.
Visit mystro.mybasco.com today!

Date: _____

Customer: _____

City: _____

Contact: _____

Phone: _____

Email: _____

PO#: _____

Request for: ☐ Quote ☐ Order

Model #: _____

Notes: _____

For Basco Office use only:

Quote #: _____ Quote \$: _____

Route: _____

Finish

- ☐ Chrome (SV/PM)
- ☐ Brushed Nickel (BN)
- ☐ Oil Rubbed Bronze (OR)
- ☐ Almond (AP)
- ☐ Antique Pewter (QP)
- ☐ Bronze (BR)
- ☐ Brushed Bronze (BB)
- ☐ Brushed Gold (BG)
- ☐ Burnished Copper (CU)
- ☐ Matte Black (WI)
- ☐ Satin Nickel (SN)
- ☐ White (WP)
- ☐ Polished Nickel (PN)
(Celesta only)
- ☐ Brushed Stainless Steel (BS) *(Rolaire only)*

Bypass or Fixed Panel Sliding Unit

- ☐ Shower Head Left
- ☐ Shower Head Right

Swing Door Unit

- Door Width _____
- ☐ Door Hinge Left
 - ☐ Door Hinge Right

Frame Type & Glass Thickness

- ☐ Framed - Deluxe
- ☐ 3/16" Semi-Frameless Classic
- ☐ 1/4" Semi-Frameless - Infinity

Glass Options

- ☐ Clear (CL)
- ☐ Obscure (OB)
- ☐ Rain (RN)
- ☐ Autumn (AU)
- ☐ Clear Beveled (CD)
- ☐ Clear Etched (EE)
- ☐ Fluted (FG)
- ☐ Reflections (RF)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP

RODA Frame Type

- Horizontal Securing
- ☐ U-Channels
 - ☐ Clips
- Vertical Securing
- ☐ U-Channels
 - ☐ Clips

RODA Glass Thickness

- ☐ 3/8"
- ☐ 1/2" Only available in CL, PC, PG, PS, LK & CG options.

RODA Glass Options

- ☐ Clear (CL)
- ☐ Rain (RN)
- ☐ Pure Clear (PC)
- ☐ Pure Clear ShowerGuard (PG)
- ☐ Pure Silk (PS)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP

All measurements are assumed to be CENTERLINE, unless noted otherwise.

For RODA Models, please circle hinge locations and note any changes from default hardware.

Wall leans: IN: _____ OUT: _____ ELBOW (Draw)

Floor to Ceiling ☐ Yes ☐ No

Finished Unit Height

Face Angle

Buttress is low: Left / Right _____

Face Angle

Floor is low: Left / Right _____

Return Angle

Wall leans: IN: _____ OUT: _____ ELBOW (Draw)

Wall leans: IN: _____ OUT: _____ ELBOW (Draw)

Floor to Ceiling ☐ Yes ☐ No

Finished Unit Height

Face Angle


Buttress is low: Left / Right _____

Face Angle

Wall leans: IN: _____ OUT: _____ ELBOW (Draw)

Return Angle

Floor is low: Left / Right _____



Email: orders@basco showerdoor.com, Fax: 1-800-989-1919

OrderForm_DPR1B_04/16/19



ORDER FORM

TUB/SHOWER ENCLOSURES

READY TO SAVE TIME & SPEED UP ORDERS?
Use our online Mystro shower door configurator.
Visit mystro.mybasco.com today!

Date: _____
Customer: _____
City: _____
Contact: _____
Phone: _____
Email: _____
PO#: _____
Request for: ☐ Quote ☐ Order
Model #: _____
Notes: _____

Finish

- ☐ Chrome (SV/PM)
- ☐ Brushed Nickel (BN)
- ☐ Oil Rubbed Bronze (OR)
- ☐ Almond (AP)
- ☐ Antique Pewter (QP)
- ☐ Bronze (BR)
- ☐ Brushed Bronze (BB)
- ☐ Brushed Gold (BG)
- ☐ Burnished Copper (CU)
- ☐ Matte Black (WI)
- ☐ Satin Nickel (SN)
- ☐ White (WP)
- ☐ Polished Nickel (PN)
(Celesta only)
- ☐ Brushed Stainless Steel (BS) *(Rolaire only)*

Bypass or Fixed Panel Sliding Unit

- ☐ Shower Head Left
- ☐ Shower Head Right

Swing Door Unit

- Door Width _____
- ☐ Door Hinge Left
 - ☐ Door Hinge Right

Frame Type & Glass Thickness

- ☐ Framed - Deluxe
- ☐ 3/16" Semi-Frameless Classic
- ☐ 1/4" Semi-Frameless - Infinity

Glass Options

- ☐ Clear (CL)
- ☐ Obscure (OB)
- ☐ Rain (RN)
- ☐ Autumn (AU)
- ☐ Clear Beveled (CD)
- ☐ Clear Etched (EE)
- ☐ Fluted (FG)
- ☐ Reflections (RF)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP

RODA Frame Type

Horizontal Securing

- ☐ U-Channels
 - ☐ Clips
- ### Vertical Securing
- ☐ U-Channels
 - ☐ Clips

RODA Glass Thickness

- ☐ 3/8"
- ☐ 1/2" Only available in CL, PC, PG, PS, LK & CG options.

RODA Glass Options

- ☐ Clear (CL)
- ☐ Rain (RN)
- ☐ Pure Clear (PC)
- ☐ Pure Clear ShowerGuard (PG)
- ☐ Pure Silk (PS)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection


- ☐ AquaGlideXP

For Basco Office use only:

Quote #: _____ Quote \$: _____
Route: _____

All measurements are assumed to be CENTERLINE, unless noted otherwise.

For RODA Models, please circle hinge locations and note any changes from default hardware.



Email: orders@basco showerdoor.com, Fax: 1-800-989-1919

OrderForm_DPR2B_04/16/19



ORDER FORM

TUB/SHOWER ENCLOSURES

READY TO SAVE TIME & SPEED UP ORDERS?
Use our online Mystro shower door configurator.
Visit mystro.mybasco.com today!

Date: _____

Customer: _____

City: _____

Contact: _____

Phone: _____

Email: _____

PO#: _____

Request for: ☐ Quote ☐ Order

Model #: _____

Notes: _____

For Basco Office use only:

Quote #: _____ Quote \$: _____

Route: _____

Finish

- ☐ Chrome (SV/PM)
- ☐ Brushed Nickel (BN)
- ☐ Oil Rubbed Bronze (OR)
- ☐ Almond (AP)
- ☐ Antique Pewter (QP)
- ☐ Bronze (BR)
- ☐ Brushed Bronze (BB)
- ☐ Brushed Gold (BG)
- ☐ Burnished Copper (CU)
- ☐ Matte Black (WI)
- ☐ Satin Nickel (SN)
- ☐ White (WP)
- ☐ Polished Nickel (PN)
(Celesta only)

Swing Door Unit

Door Width _____

- ☐ Door Hinge Left
- ☐ Door Hinge Right

Frame Type & Glass Thickness

- ☐ Framed - Deluxe
- ☐ 3/16" Semi-Frameless Classic
- ☐ 1/4" Semi-Frameless - Infinity

Glass Options

- ☐ Clear (CL)
- ☐ Obscure (OB)
- ☐ Rain (RN)
- ☐ Autumn (AU)
- ☐ Clear Beveled (CD)
- ☐ Clear Etched (EE)
- ☐ Fluted (FG)
- ☐ Reflections (RF)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP

RODA Frame Type

Horizontal Securing

- ☐ U-Channels
 - ☐ Clips
- Vertical Securing
- ☐ U-Channels
 - ☐ Clips

RODA Glass Thickness

- ☐ 3/8"
- ☐ 1/2" Only available in CL, PC, PG, PS, LK & CG options.

RODA Glass Options


- ☐ Clear (CL)
- ☐ Rain (RN)
- ☐ Pure Clear (PC)
- ☐ Pure Clear ShowerGuard (PG)
- ☐ Pure Silk (PS)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP

All measurements are assumed to be CENTERLINE, unless noted otherwise.

For RODA Models, please circle hinge locations and note any changes from default hardware.



Circle Unit Type



Email: orders@basco shower door.com, Fax: 1-800-989-1919



ORDER FORM

TUB/SHOWER ENCLOSURES

READY TO SAVE TIME & SPEED UP ORDERS?
Use our online Mystro shower door configurator.
Visit mystro.mybasco.com today!

Date: _____

Customer: _____

City: _____

Contact: _____

Phone: _____

Email: _____

PO#: _____

Request for: ☐ Quote ☐ Order

Model #: _____

Notes: _____

For Basco Office use only:

Quote #: _____ Quote \$: _____

Route: _____

Finish

- ☐ Chrome (SV/PM)
- ☐ Brushed Nickel (BN)
- ☐ Oil Rubbed Bronze (OR)
- ☐ Almond (AP)
- ☐ Antique Pewter (QP)
- ☐ Bronze (BR)
- ☐ Brushed Bronze (BB)
- ☐ Brushed Gold (BG)
- ☐ Burnished Copper (CU)
- ☐ Matte Black (WI)
- ☐ Satin Nickel (SN)
- ☐ White (WP)
- ☐ Polished Nickel (PN)
(Celesta only)

Swing Door Unit

Door Width _____

- ☐ Door Hinge Left
- ☐ Door Hinge Right

Frame Type & Glass Thickness

- ☐ Framed - Deluxe
- ☐ 3/16" Semi-Frameless Classic
- ☐ 1/4" Semi-Frameless - Infinity

Glass Options

- ☐ Clear (CL)
- ☐ Obscure (OB)
- ☐ Rain (RN)
- ☐ Autumn (AU)
- ☐ Clear Beveled (CD)
- ☐ Clear Etched (EE)
- ☐ Fluted (FG)
- ☐ Reflections (RF)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP

RODA Frame Type

Horizontal Securing

- ☐ U-Channels
- ☐ Clips
- Vertical Securing
- ☐ U-Channels
- ☐ Clips

RODA Glass Thickness

- ☐ 3/8"
- ☐ 1/2" Only available in CL, PC, PG, PS, LK & CG options.

RODA Glass Options


- ☐ Clear (CL)
- ☐ Rain (RN)
- ☐ Pure Clear (PC)
- ☐ Pure Clear ShowerGuard (PG)
- ☐ Pure Silk (PS)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP


All measurements are assumed to be CENTERLINE, unless noted otherwise.

For RODA Models, please circle hinge locations and note any changes from default hardware.



Floor to Ceiling

- ☐ Yes
- ☐ No



Email: orders@basco showerdoor.com, Fax: 1-800-989-1919

OrderForm_NeoAngle2B_04/16/19



ORDER FORM

TUB/SHOWER ENCLOSURES

READY TO SAVE TIME & SPEED UP ORDERS?
Use our online Mystro shower door configurator.
Visit mystro.mybasco.com today!

Date: _____

Customer: _____

City: _____

Contact: _____

Phone: _____

Email: _____

PO#: _____

Request for: ☐ Quote ☐ Order

Model #: _____

Notes: _____

Finish

- ☐ Chrome (SV/PM)
- ☐ Brushed Nickel (BN)
- ☐ Oil Rubbed Bronze (OR)
- ☐ Almond (AP)
- ☐ Antique Pewter (QP)
- ☐ Bronze (BR)
- ☐ Brushed Bronze (BB)
- ☐ Brushed Gold (BG)
- ☐ Burnished Copper (CU)
- ☐ Matte Black (WI)
- ☐ Satin Nickel (SN)
- ☐ White (WP)
- ☐ Polished Nickel (PN)
(Celesta only)

Swing Door Unit

Door Width _____

- ☐ Door Hinge Left
- ☐ Door Hinge Right

Frame Type & Glass Thickness

- ☐ Framed - Deluxe
- ☐ 3/16" Semi-Frameless Classic
- ☐ 1/4" Semi-Frameless - Infinity

Glass Options

- ☐ Clear (CL)
- ☐ Obscure (OB)
- ☐ Rain (RN)
- ☐ Autumn (AU)
- ☐ Clear Beveled (CD)
- ☐ Clear Etched (EE)
- ☐ Fluted (FG)
- ☐ Reflections (RF)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP

RODA Frame Type

Horizontal Securing

- ☐ U-Channels
 - ☐ Clips
- Vertical Securing
- ☐ U-Channels
 - ☐ Clips

RODA Glass Thickness

- ☐ 3/8"
- ☐ 1/2" Only available in CL, PC, PG, PS, LK & CG options.

RODA Glass Options

- ☐ Clear (CL)
- ☐ Rain (RN)
- ☐ Pure Clear (PC)
- ☐ Pure Clear ShowerGuard (PG)
- ☐ Pure Silk (PS)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP




For Basco Office use only:

Quote #: _____ Quote \$: _____

Route: _____

All measurements are assumed to be CENTERLINE, unless noted otherwise.

For RODA Models, please circle hinge locations and note any changes from default hardware.



Email: orders@basco showerdoor.com, Fax: 1-800-989-1919



ORDER FORM

TUB/SHOWER ENCLOSURES

READY TO SAVE TIME & SPEED UP ORDERS?
Use our online Mystro shower door configurator.
Visit mystro.mybasco.com today!

Date: _____
Customer: _____
City: _____
Contact: _____
Phone: _____
Email: _____
PO#: _____
Request for: ☐ Quote ☐ Order
Model #: _____
Notes: _____

Finish

- ☐ Chrome (SV/PM)
- ☐ Brushed Nickel (BN)
- ☐ Oil Rubbed Bronze (OR)
- ☐ Almond (AP)
- ☐ Antique Pewter (QP)
- ☐ Bronze (BR)
- ☐ Brushed Bronze (BB)
- ☐ Brushed Gold (BG)
- ☐ Burnished Copper (CU)
- ☐ Matte Black (WI)
- ☐ Satin Nickel (SN)
- ☐ White (WP)
- ☐ Polished Nickel (PN)
(Celesta only)
- ☐ Brushed Stainless Steel (BS) *(Rolaire only)*

Bypass or Fixed Panel Sliding Unit

- ☐ Shower Head Left
- ☐ Shower Head Right

Swing Door Unit

- Door Width _____
- ☐ Door Hinge Left
 - ☐ Door Hinge Right

Frame Type & Glass Thickness

- ☐ Framed - Deluxe
- ☐ 3/16" Semi-Frameless Classic
- ☐ 1/4" Semi-Frameless - Infinity

Glass Options

- ☐ Clear (CL)
- ☐ Obscure (OB)
- ☐ Rain (RN)
- ☐ Autumn (AU)
- ☐ Clear Beveled (CD)
- ☐ Clear Etched (EE)
- ☐ Fluted (FG)
- ☐ Reflections (RF)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP

RODA Frame Type

Horizontal Securing

- ☐ U-Channels
- ☐ Clips

Vertical Securing

- ☐ U-Channels
- ☐ Clips

RODA Glass Thickness

- ☐ 3/8"
- ☐ 1/2" Only available in CL, PC, PG, PS, LK & CG options.

RODA Glass Options

- ☐ Clear (CL)
- ☐ Rain (RN)
- ☐ Pure Clear (PC)
- ☐ Pure Clear ShowerGuard (PG)
- ☐ Pure Silk (PS)
- ☐ Silk (LK)
- ☐ Strata (SR)
- ☐ ShowerGuard Clear (CG)
- ☐ Tempest (TM)
- ☐ Vessence (VS)
- ☐ **KD (No Glass)**

Glass Protection

- ☐ AquaGlideXP

For Basco Office use only:

Quote #: _____ Quote \$: _____
Route: _____

All measurements are assumed to be CENTERLINE, unless noted otherwise.

Draw or Design
a Custom Tub or
Shower.

Include the following
information:

- Centerline dimension of the threshold
- Height of any buttresses
- Centerline dimension of any return panels
- Maximum height the application will accept
- Notch width (if applicable)
- Degree of angle of any return panels
- Unit height preferred
- Shower head location
- Any out-of-level/plumb conditions

Email: orders@basco showerdoor.com, Fax: 1-800-989-1919

OrderForm_CustomDrawing_04/16/19